Universal PLC Platform with HMI and Siemens PLC Scientech 2400AH/BH/CH

........



Today, manufacturing processes have become a lot more efficient due to the Internet of Things (IoT), intelligent automation, advanced robotics, and other smart factory initiatives. Despite rapid changes in technology, programmable logic controller (PLC) and the human-machine interface (HMI) continue to play a vital role in the manufacturing and act as central processors for all real-time decisions.

PLC and HMI have adapted well in modern Industry 4.0 manufacturing, automation systems and their programming will continue to play an integral role in the manufacturing processes. Further, the integrated HMI-PLC is enabling lean automation-boosting efficiencies and reducing waste, both in terms of equipment and time.

Looking at career opportunities offered by Industry 4.0, Scientech has designed a Universal PLC platform with HMI and Siemens PLC. Scientech 2400AH/BH/CH is an ideal setup to study the working of PLC and HMI used for industrial applications. It has been designed to learn and practice:

- Wiring of PLC with different inputs and outputs.
- Push to ON switch, toggle switch, proximity sensor, selector switch as an input to PLC.
- Realistic simulation that can drive visual indicators, audio indicators, and DC motor, relay and contactor.
- Communication of PLC with HMI for monitoring and controlling.

Features

- 7" Human Machine Interface (HMI) display.
- Select Siemens PLC according to required Input-Output e.g. Scientech 2400AH, Scientech 2400BH, and Scientech 2400CH.
- Open platform to explore wide PLC and HMI applications.
- Industrial look & feel.
- Toggle switches, push to ON switch, proximity sensor, selector switch, visual indicator, audio indicator, DC motor, relay card, contactor and voltage display.

- Din rail mounting for PLC.
- Powerful instruction sets.
- Several sample ladder and HMI programs.
- High execution speed.
- PC based ladder and HMI programming.
- Extremely easy and student friendly software to develop different programs.
- Easy downloading of programs.
- Practice troubleshooting skills.
- Compact tabletop ergonomic design.
- Robust construction.

Scope of Learning

- Exposure to technology of Programmable Logic Controller (PLC) and understanding the importance of automation in industries.
- Student will be familiarized with a variety of ladder logic instructions to create complete PLC program from scratch.
- Study the difference between digital and analog signals and how to bring them into a PLC, process them and send them back out.

PLC hardware

- PLC configuration.
- Source and sink concept.
- PLC history.
- Input/output configuration.
- Installation.
- Switches and sensor interfacing.
- Actuator interfacing.

PLC operation

- Sequence of operation.
- Program scans cycle.
- Addressing example.
- Upload/download/monitoring.

Program operation

- NO (normally open) and NC (normally closed) instructions.
- Types of logic gates.
- Set and reset bits.
- Types of timers (TON, TOFF and TONR).
- Types of counters (CTU, CTD and UDCTR).
- Types of compare instructions (greater than, equal to and less than).
- Types of math instructions (addition, subtraction, multiplication and division).
- Analog input and analog output instructions using MOV instruction.

Human Machine Interface (HMI)

- Human Machine Interface (HMI).
- Creating applications/screens in HMI.
- Downloading and uploading programs.

Design screen for:

- Switch and indicator in HMI for communication with PLC.
- Timer in HMI for communication with PLC.
- Counter in HMI for communication with PLC.
- Trend in HMI for communication with PLC.
- Alarm in HMI for communication with PLC.

Installation

- Wiring and connection.
- Communication setup.
- Programming devices connection.

HMI software window



PLC software window

Orders Option Option Option Option Option Opti		0 4	CTD (Count Down Counter) > PLC 1 (CPU 1214C AC/DC/Rty) > Program blocks > Main [OB1]	Testing 🗗 🗊
State Analog C 1 (OV 1214C ACCION CONTRACT CONTRACT	Devices			Options
State Analog C 1 (OV 1214C ACCION CONTRACT CONTRACT	00	랐	성성 위에 문을 물 문 월 # 월 # 6 년 6 년 6 년 6 년 6 년 8 월 8 월 8 월 8 월 8 월 8 월 8 월 8 월 8 월 8	1
 In Crit (199 User Accion) In C				· CPU operator panel
None If (a baseline) ▼ Network 2: If (a baseline) Control If (a baseline) If (a baseline) Control If (a baseline) If (a baseline)	Concise configuration Concise configuration Concise Configuration Confi		••••••••••••••••••••••••••••••••••••	RUN (STOP BUN EBBOR STOP MANT MRES C II Call environment No condition defined.
Network	Name	_		✓ Breakpoints
Converse Description of the support trans			,	8/1 0 0 0 H GI 91 GI
This denote differ not support threak				Enable output in run
100% × 100 Minutes			Controlog	This device does not support breakpo
			100% T	Call hierarchy



Universal PLC Platform with HMI and Siemens PLC Scientech 2400AH/BH/CH

Technical Specifications

Specification	Scientech 2400AH	Scientech 2400BH	Scientech 2400CH
PLC CPU type	CPU-1212C (AC/DC/relay)	CPU-1214C (AC/DC/relay)	CPU-1214C (AC/DC/relay)
Digital inputs	8	14	30
Digital outputs	6	10	26
Analog inputs	2	2	2
Analog output	1	1	1
Program size	50KB	75KB	75KB
Internal memory bits	256	256	256
Interface	Ethernet	Ethernet	Ethernet
Expansion	Expandable	Expandable	Expandable

Human Machine Interface (HMI)

HMI Supply	: +24V DC			
CPU	: 32-bits 400MHz RISC			
Interface	: Ethernet			
Storage				
Flash	: 128MB			
DDRAM	: 64MB			
Display size	: 7 inch			
Resolution	: 800 × 480 TFT LCD			
	65, 536 colors			
Touch screen	:High precision four-wire			
	resistive			
General Specificati	on			
Toggle switches	: 4 nos.			
Push to ON switche	s: 3 nos.			
Proximity sensor	: 1 no.			
Selector switch	: 1 no.			
Visual indicators	: 4 nos.			
Audio indicator	: 1 no.			
DC motor	: 1no.			
Relay card	: 1 no. (Contains 2 relays)			
Voltage display	: 1no.			
Contactor	: 1 no.			
PLC software	: TIA portal			
HMI software	: PI studio			
Package contains	: Quantity			
Mains cord	: 1 no.			
Ethernet cable	: 1 no.			
USB cable (A to B)	: 1no.			

Scientech 2400S Signal conditioning for PLC (optional)



Differential amplifier	:	2 gain			
Thermocouple amplifier	:	10 gain			
Non inverting amplifier	:	3 gain			
Digital output logic	:	Logic 0: 0V			
		Logic 1 : 24V			
Fraguanay to Valtage convertor					

Frequency to Voltage converter

Input frequency range	:	0-400Hz
Output voltage range	:	0 to 4.5V
Input frequency range	:	0-5KHz
Output voltage range	:	0-4.5V

Note: Scientech 2400S Signal conditioning module is required for SS04, SS13, SS57 and SS155.

Switches & Sensors (optional)

Digital Sensors:

Capacitive proximity Sensor (SS16)

Application

- Detecting flow of material
- Belt breakage detection
- Detection of empty cartons

Scope of Learning

- Concept of capacitive proximity sensor.
- Interfacing with PLC.
- Ladder programming of proximity sensor for detection of metallic and non metallic objects.

PIR Sensor (SS155)

Application

- Alarm systems.
- Robotics.

Scope of Learning

- Concept of PIR sensor.
- Interfacing with PLC.
- Ladder programming of PIR sensor for human body detection.

Analog Sensors:

Pressure Sensor (SS04)

Application

- Pressure sensing
- Altitude sensing
- Leak testing

Scope of Learning

- Study of pressure transducer.
- Interfacing with PLC.
- Ladder programming for pressure sensor.

Temperature and humidity Sensor (SS150)

Application

- Food industries
- Steel industries

Scope of Learning

- Study of temperature and humidity sensor.
- Ladder program for temperature and humidity sensor.

Magnetic Sensor (Hall Sensor) (SS13) Application

- Current sensing
- Power sensing
- Proximity detection
- Speed detection

Scope of Learning

- Concept of Hall Effect sensor
- Interfacing with PLC
- Ladder programming of Hall Effect sensor for magnet pole detection

Level Sensor (SS24)

Application

- Dairy industry
- Water & waste water

Scope of Learning

- Study of water level sensor.
- Interfacing with PLC.
- Ladder programming for water level sensor.

Air quality Sensor (SS151)

Application

- Air quality monitoring
- Use to detect leakage/excess of gases

Scope of Learning

- Study of air quality.
- Interfacing with PLC.
- Ladder programming for air quality sensor.



Soil moisture Sensor (SS152)

Application

• Soil moisture monitoring

Scope of Learning

- Study of soil moisture sensor.
- Interfacing with PLC.
- Ladder programming for soil moisture sensor.

Ambient light Sensor (SS153)

Application

- Street light
- Burglar alarm system

Scope of Learning

- Study of ambient sensor.
- Interfacing with PLC.
- Ladder programming for ambient light sensor.

Actuator (optional)

Seven segment display (SS57)

Application

- Digital clock
- Calculator

Scope of Learning

- Study of seven segment display.
- Interfacing with PLC.
- Ladder programming for seven segment display.

Note : This actuator requires a PLC of minimum 8 digital inputs.

Solenoid valve (SS70)

Application

- Used in air power pneumatic to control cylinder
- Used in refrigeration

Scope of Learning

- Study of solenoid valve.
- Interfacing with PLC.
- Ladder programming for solenoid valve.

Application modules (optional)

Scientech 2421 Water level control by PLC

Scope of Learning

- Study of water level.
- Study and use of timers and memory bit.
- Water level control by PLC through ladder program.

Scientech 2422 Elevator control by PLC Scope of Learning

- Study of elevator.
- Study and use of latch switches and timers.
- Elevator control by PLC through ladder program.

Scientech 2423A Traffic light control by PLC

Scope of Learning

- Study of traffic light.
- Study and use of memory bit and timers.
- Traffic light control by PLC through ladder program.
- Study of signal indications for two direction.

Scientech 2423B Traffic light control by PLC Scope of Learning

- Study of traffic light.
- Study and use of timers.
- Traffic light control by PLC through ladder program.
- Study of all three signals red, green and orange i.e. ready, go and stop. Signal indications for all direction at any square.

Scientech 2424 Temperature control by PLC Scope of Learning

- Study of temperature control.
- Study and use of compare instruction.
- Study and use of temperature sensors and voltage to current convertor.
- Study and use of controlling a heater and fan.
- Temperature control by PLC through ladder program.

Scientech 2425 Conveyor control by PLC

Scope of Learning

- Study of conveyor.
- Study and use of memory bit, timers, counters, compare instruction.
- Study and use of IR sensor, proximity sensor, push to on switch.
- Study and use of DC motor.
- Conveyor control by PLC through ladder program.
- Learn to count metallic container using a proximity switch.
- Learn to run and control conveyor in manual and auto mode using a PLC.
- Learn to control direction a of DC motor.

Scientech 2425B Sorting system control by PLC Scope of Learning

- Study of conveyor.
- Study and use of memory bit, timers, counters, compare instruction.
- Study and use of input device like proximity sensor, push to on switches and output device like DC motor, 5/2 solenoid valve and double acting cylinder.
- Conveyor control by PLC through ladder program.
- Ladder program for count metallic container using a proximity switch.
- Ladder program for run and control conveyor in manual and auto mode using a PLC.
- Ladder program for control direction a of DC motor.
- Ladder program for sorting of metallic object using double acting cylinder and PLC.

Scientech 2426 Speed Control of DC motor by PLC Scope of Learning

- Study of DC motor.
- DC motor control by PLC through ladder program.
- Study and use of PWM (pulse width modulation) and voltage to frequency convertor.
- Learn to run DC motor in clockwise and anticlockwise direction.
- Learn to change the speed of DC motor.

Scientech 2427 Motor & switches control by PLC Scope of Learning

- Study of stepper motor, thumbwheel switch and limit switch.
- Stepper motor, thumbwheel switch and limit switch control by PLC through ladder program.
- Study of speed control of stepper motor using a thumbwheel switch.
- Learn to step (position) control of stepper motor using a limit switch.
- Learn to run stepper motor in clockwise and anticlockwise direction.
- Study and use of PWM (pulse width modulation).

Scientech 2429 Study of Star delta & direct on line (DOL) Starter by PLC

Scope of Learning

- Study of start delta motor starter.
- Study of direct online starter.
- Study and use of latching.
- Study and use of timer.
- Ladder program for star delta motor starter control by PLC.
- Ladder program for direct online starter control by PLC.